

09/914,337

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8204	713/167 OR 713/193 OR 713/201 OR 380/37 OR 380/54 OR 380/269 OR 705/57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 17:49
L2	6	"FOUR DIMENTIONAL" OR "FOUR DIMENTION"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 17:53
L3	8104	"6" AND 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 17:50
L4	0	1 AND 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 17:50
L5	412	LIU.INV. AND CHAO	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/25 17:53

PORTAL
US Patent & Trademark Office

Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

"FOUR DIMENTIONAL" OR "FOUR DIMENTIONAL"

THE ACM DIGITAL LIBRARY

Feedback Report a problem Satisfaction survey

Terms used FOUR DIMENTIONAL OR FOUR DIMENTIONAL

Found 1 of 153,034

Sort results by relevance date title author journal conference publisher subject citation abstract references index terms

Display results expanded form detailed form list view

Save results to a Binder Search Tips Open results in a new window

Try an [Advanced Search](#)
Try this search in [The ACM Guide](#)

Results 1 - 1 of 1

Relevance scale 

1 Describing capabilities of internet data sources for information discovery and sharing 

Jian Yang, Lai Xu

January 2001 **Proceedings of the 12th Australasian conference on Database technologies**

Full text available:  pdf(664.98 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

 Publisher Site

The Internet now makes it possible for people building complex applications by combining data and processes offered by different information systems available across the network. These data sources are normally with very diverse data structure and processing capabilities. In order for these systems to share information and collaborate with each other, they must be able to present their information and capabilities in such a way that they can be understood by other sources. In this paper, we inves ...

Keywords: capability description, information discovery, internet data sources

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE Xplore GUIDE** e-mail

Results for "('four dimensional'<in>metadata) <or> ('four dimention'<in>metadata) <and> (cipher<in>metadata)"

Your search matched 351 of 1152881 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance in Descending** order.[» View Session History](#)[» New Search](#)**» Key**

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Modify Search Check to search only within this results setDisplay Format: Citation Citation & Abstract

Select Article Information

View: 1-25 | [26-5](#)**1. Four dimensional modem employing complex spreading sequences**

Marx, F.E.; Linde, L.P.;
AFRICON, 1999 IEEE
Volume 1, 28 Sept.-1 Oct. 1999 Page(s):221 - 226 vol.1
[AbstractPlus](#) | Full Text: [PDF\(392 KB\)](#) IEEE CNF

2. Constant-time navigation in four-dimensional nested simplicial meshes

Lee, M.; De Floriani, L.; Samet, H.;
Shape Modeling Applications, 2004. Proceedings
7-9 June 2004 Page(s):221 - 230
[AbstractPlus](#) | Full Text: [PDF\(445 KB\)](#) IEEE CNF

3. The use of three- and four-dimensional surface harmonics for rigid and nonrigid and representation

Matheny, A.; Goldgof, D.B.;
Pattern Analysis and Machine Intelligence, IEEE Transactions on
Volume 17, Issue 10, Oct. 1995 Page(s):967 - 981
[AbstractPlus](#) | References | Full Text: [PDF\(1396 KB\)](#) IEEE JNL

4. New rotationally invariant four-dimensional trellis codes

Fu-Quan Wang; Costello, D.J., Jr.;
Information Theory, IEEE Transactions on
Volume 42, Issue 1, Jan. 1996 Page(s):291 - 300
[AbstractPlus](#) | References | Full Text: [PDF\(916 KB\)](#) IEEE JNL

5. A four-dimensional plus hysteresis chaos generator

Mitsubori, K.; Saito, T.;
Circuits and Systems I: Fundamental Theory and Applications, IEEE Transactions on [
and Systems I: Regular Papers, IEEE Transactions on]
Volume 41, Issue 12, Dec. 1994 Page(s):782 - 789
[AbstractPlus](#) | Full Text: [PDF\(552 KB\)](#) IEEE JNL

6. Line-based recognition using a multidimensional Hausdorff distance

Xilin Yi; Camps, O.I.;
Pattern Analysis and Machine Intelligence, IEEE Transactions on
Volume 21, Issue 9, Sept. 1999 Page(s):901 - 916

[AbstractPlus](#) | [References](#) | [Full Text: PDF\(964 KB\)](#) | [IEEE JNL](#)**7. Monitoring of sea ice in Far East Russia**

Kawano, K.; Kudoh, J.;
Geoscience and Remote Sensing Symposium, 2004. IGARSS '04. Proceedings. 2004 International
Volume 7, 20-24 Sept. 2004 Page(s):4379 - 4381 vol.7
[AbstractPlus](#) | [Full Text: PDF\(1287 KB\)](#) | [IEEE CNF](#)

8. Reality of chaos in four-dimensional hysteretic circuits

Saito, T.; Suzuki, T.;
Circuits and Systems, 1991., IEEE International Symposium on
11-14 June 1991 Page(s):2889 - 2892 vol.5
[AbstractPlus](#) | [Full Text: PDF\(232 KB\)](#) | [IEEE CNF](#)

9. Normalization of the parameterized Courant-Snyder matrix for symplectic factor: parameterized Taylor map

Yan, Y.T.;
Particle Accelerator Conference, 1991. 'Accelerator Science and Technology', Conference of the 1991 IEEE
6-9 May 1991 Page(s):1663 - 1665 vol.3
[AbstractPlus](#) | [Full Text: PDF\(200 KB\)](#) | [IEEE CNF](#)

10. Dynamic space warping algorithms on fine-grain array processors

Heung-Nam Kim; Irwin, M.J.; Owens, R.M.; Chen-Mi Wu;
Parallel Processing Symposium, 1994. Proceedings., Eighth International
26-29 April 1994 Page(s):921 - 925
[AbstractPlus](#) | [Full Text: PDF\(344 KB\)](#) | [IEEE CNF](#)

11. Geometrical optics in nonstationary media

Suchy, K.;
Mathematical Methods in Electromagnetic Theory, 1996., 6th International Conference
10-13 Sept. 1996 Page(s):225
[AbstractPlus](#) | [Full Text: PDF\(56 KB\)](#) | [IEEE CNF](#)

12. Performance evaluation of multi-level four-dimensional Q²PSK in Gaussian noise

Westra, B.; van Wyk, D.J.; Cilliers, J.E.; Linde, L.P.;
Communications and Signal Processing, 1997. COMSIG '97., Proceedings of the 1997 Symposium on
9-10 Sept. 1997 Page(s):141 - 146
[AbstractPlus](#) | [Full Text: PDF\(444 KB\)](#) | [IEEE CNF](#)

13. Four-dimensional representation and collision detection for moving objects

Aliyu, M.D.S.; Al-Sultan, K.S.;
Intelligent Control (ISIC), 1998. Held jointly with IEEE International Symposium on Control, Intelligent
Intelligence in Robotics and Automation (CIRA), Intelligent Systems and Semiotics (IS/98).
of the 1998 IEEE International Symposium on
14-17 Sept. 1998 Page(s):511 - 515
[AbstractPlus](#) | [Full Text: PDF\(384 KB\)](#) | [IEEE CNF](#)

14. Polarisation of electromagnetic waves in four-dimensional Euclidean space

Ivaska, V.; Aleksiejunas, R.;
Microwaves, Radar and Wireless Communications. 2000. MIKON-2000. 13th International
Volume 1, 22-24 May 2000 Page(s):91 - 93 vol.1
[AbstractPlus](#) | [Full Text: PDF\(160 KB\)](#) | [IEEE CNF](#)

- 15. **Four-dimensional histogram method for sea ice detection using NOAA AVHRR images**
Kawano, K.; Kudoh, J.;
Geoscience and Remote Sensing Symposium, 2003. IGARSS '03. Proceedings. 2003 International
Volume 6, 21-25 July 2003 Page(s):3459 - 3461 vol.6
[AbstractPlus](#) | [Full Text: PDF\(2202 KB\)](#) | [IEEE CNF](#)

- 16. **Chaotic phenomena in a four-dimensional circuit with two ideal diodes**
Nishio, Y.; Inaba, N.; Mori, S.;
Circuit Theory and Design, 1989., European Conference on
5-8 Sep 1989 Page(s):157 - 161
[AbstractPlus](#) | [Full Text: PDF\(236 KB\)](#) | [IEE CNF](#)

- 17. **Four-dimensional signalling for bandlimited channels**
Visintin, M.; Biglieri, E.; Castellani, V.;
Communications, IEEE Transactions on
Volume 42, Issue 234, Feb-Apr 1994 Page(s):403 - 409
[AbstractPlus](#) | [Full Text: PDF\(600 KB\)](#) | [IEEE JNL](#)

- 18. **Reality of chaos in four-dimensional hysteretic circuits**
Saito, T.;
Circuits and Systems, IEEE Transactions on
Volume 38, Issue 12, Dec. 1991 Page(s):1517 - 1524
[AbstractPlus](#) | [Full Text: PDF\(504 KB\)](#) | [IEEE JNL](#)

- 19. **Comparisons of quad trees and 4-D trees: new results [VLSI layout]**
Pitakasanonkul, A.; Thanawastien, S.; Lursinsap, C.;
Computer-Aided Design of Integrated Circuits and Systems, IEEE Transactions on
Volume 8, Issue 11, Nov. 1989 Page(s):1157 - 1164
[AbstractPlus](#) | [Full Text: PDF\(636 KB\)](#) | [IEEE JNL](#)

- 20. **Cine MPR: Interactive multiplanar reformatting of four-dimensional cardiac data using accelerated texture mapping**
Shekhar, R.; Zagrodsky, V.;
Information Technology in Biomedicine, IEEE Transactions on
Volume 7, Issue 4, Dec. 2003 Page(s):384 - 393
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(610 KB\)](#) | [IEEE JNL](#)

- 21. **Study of the efficacy of respiratory gating in myocardial SPECT using the new 4-dimensional phantom**
Segars, W.P.; Tsui, B.M.W.;
Nuclear Science, IEEE Transactions on
Volume 49, Issue 3, June 2002 Page(s):675 - 679
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(620 KB\)](#) | [IEEE JNL](#)

- 22. **Four-dimensional affine registration models for respiratory-gated PET**
Klein, G.J.; Reutter, R.W.; Huesman, R.H.;
Nuclear Science, IEEE Transactions on
Volume 48, Issue 3, June 2001 Page(s):756 - 760
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(96 KB\)](#) | [IEEE JNL](#)

- 23. **Variational data assimilation of microwave radiobrightness observations for land hydrology applications**
Reichle, R.H.; McLaughlin, D.B.; Entekhabi, D.;
Geoscience and Remote Sensing, IEEE Transactions on
Volume 39, Issue 8, Aug. 2001 Page(s):1708 - 1718
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(464 KB\)](#) | [IEEE JNL](#)

24. **Four-dimensional superquadric-based cardiac phantom for Monte Carlo simulation of radiotherapy treatment planning**
Peter, J.; Gilland, D.R.; Jaszczak, R.J.; Coleman, R.E.;
Nuclear Science, IEEE Transactions on
Volume 46, Issue 6, Dec. 1999 Page(s):2211 - 2217
[AbstractPlus](#) | [Full Text: PDF\(764 KB\)](#) | [IEEE JNL](#)

25. **Block-coded modulation using two-level group codes over generalized quaternionic alphabets**
Selvakumaran, T.V.; Sundar Rajan, B.;
Information Theory, IEEE Transactions on
Volume 45, Issue 1, Jan. 1999 Page(s):365 - 372
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(336 KB\)](#) | [IEEE JNL](#)

View: [1-25](#) | [26-5](#)

Indexed by
Inspec

[Help](#) | [Contact Us](#) | [Privacy & Terms](#)

© Copyright 2008 IEEE ..